AMENDMENT OF SOLICITATI	ON/MODIFICATI	ON OF CONTRACT	1. Contract l		Page 1 Of 8			
2. Amendment/Modification No.	3. Effective Date	4. Requisition/Purchase Req 1		5. Project No.	(If applicable)			
0001	20030CT10	SEE SCHEDULE						
6. Issued By	Code W56HZV	7. Administered By (If other t	han Item 6)	•	Code			
TACOM WARREN BLDG 231 AMSTA-AQ-ATAC								
KAYE MAGAR (586)574-6318 WARREN, MICHIGAN 48397-5000								
HTTP://CONTRACTING.TACOM.ARMY.MIL								
EMAIL: MAGARK@TACOM.ARMY.MIL		SCD	PAS	ADP I	PT .			
8. Name And Address Of Contractor (No., Street	et, City, County, State and	Zip Code)	9A. Amendme	nt Of Solicitation	1 No.			
			DAAE07-03-R-	-S209				
			9B. Dated (See	Item 11)				
			2003SEP27		(O. 1. N.			
			10A. Modifica	tion Of Contract	/Order No.			
Code Facility Code			10B. Dated (Se	ee Item 13)				
	HIS ITEM ONLY APPLI	ES TO AMENDMENTS OF SO	LICITATION	IS				
X The above numbered solicitation is amend	led as set forth in item 14.	The hour and date specified fo	r receipt of Of	fers				
is extended, X is not extended.								
Offers must acknowledge receipt of this amo								
(a) By completing items 8 and 15, and returning <u>2 signed</u> copies of the amendments: (b) By acknowledging receipt of this amendment on each copy of the offer submitted; or (c) By separate letter or telegram which includes a reference to the solicitation and amendment numbers. FAILURE OF YOUR								
ACKNOWLEDGMENT TO BE RECEIVED								
SPECIFIED MAY RESULT IN REJECTION change may be made by telegram or letter, I								
opening hour and date specified.					<u> </u>			
12. Accounting And Appropriation Data (If red	quired)							
13. THIS		O MODIFICATIONS OF CON act/Order No. As Described In I		DERS				
A. This Change Order is Issued Pursua The Contract/Order No. In Item 10.			The Cl	nanges Set Forth	In Item 14 Are Made In			
B. The Above Numbered Contract/Ordo Set Forth In Item 14, Pursuant To T		θ \	ch as changes	in paying office,	appropriation data, etc.)			
C. This Supplemental Agreement Is En	tered Into Pursuant To Au	thority Of:						
D. Other (Specify type of modification a	and authority)							
E. IMPORTANT: Contractor is not,	is required to sign	this document and return		copies to the Issu	ning Office.			
14. Description Of Amendment/Modification (Organized by UCF section	headings, including solicitation	/contract subje	ect matter where	feasible.)			
SEE SECOND PAGE FOR DESCRIPTION								
Except as provided herein, all terms and condi and effect.	tions of the document refer	renced in item 9A or 10A, as he	retofore chang	ed, remains uncl	nanged and in full force			
15A. Name And Title Of Signer (Type or print)	16A. Name And Title C	Of Contracting	Officer (Type or	r print)			
15B. Contractor/Offeror	15C. Date Signed	16B. United States Of A	America		16C. Date Signed			
222. Somewood, Smooth	100. Dan Digited				200. Date Digited			
(Signature of narrow authorized to -:	-	By(Signature of	/SIGNED/	Officer)				
(Signature of person authorized to sign) NSN 7540-01-152-8070		30-105-02	Contracting (ORM 30 (REV. 10-83)			

CONTINUATION SHEET	Reference No. of Document Be	Page 2 of 8	
CONTINUATION SHEET	PIIN/SIIN DAAE07-03-R-S209	MOD/AMD 0001	

Name of Offeror or Contractor:

SECTION A - SUPPLEMENTAL INFORMATION

Amendment 0001 to Solicitation DAAE07-03-R-S209

1. The purpose of Amendment 0001 to Solicitation DAAE07-03-R-S209 is to change the Packaging and Marking from Commercial/Commercial to Military/A which applies for all five ordering years. Due to the change in packaging the following clauses have been deleted or added as follows:

Deleted - 52.211-4517, Packaging Requirements (Commercial)

Added - 52.211-4515, Packaging Requirements (Special Packaging Instructions)

2. All other terms and conditions remain unchanged.

*** END OF NARRATIVE A 001 ***

Reference No. of Document Being Continued PIIN/SIIN DAAE07-03-R-S209

MOD/AMD 0001

Page 3 of 8

ITEM NO	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
	SECTION B - SUPPLIES OR SERVICES AND PRICES/COSTS				
	SUPPLIES OR SERVICES AND PRICES/COSTS:				
	IN THE FOUR DIGIT ITEM NUMBERS				
	(CLINS) THAT FOLLOW, THE NUMBERING SYSTEM				
	THAT IS USED IS AS FOLLOWS:				
	THE FIRST THREE DIGITS SIGNIFY ITEM AND				
	THE FOURTH (LAST) DIGIT SIGNIFIES THE				
	APPLICABLE ORDERING YEAR, i.e., CLIN 0011 IS FOR THE FIRST ITEM - FIRST ORDERING				
	YEAR, CLIN 0012 IS FOR THE FIRST ITEM -				
	SECOND ORDERING YEAR, CLIN 0013 IS FOR THE				
	FIRST ITEM - THIRD ORDERING YEAR, ETC.				
	THE FINAL LINE ITEM(S) ASSOCIATED WITH EACH PART, SUCH AS FAT, TECHNICAL MANUALS, SERVICES,				
	OR TRAINING, WILL BECOME THE LAST ITEM NUMBER				
	IN NUMERICAL SEQUENCE FOR EACH ITEM, e.g.				
	0016 (5 YEAR LONG TERM CONTRACT) OR 0014				
	(3 YEAR LONG TERM CONTRACT). IF MORE THAN ONE ITEM IS BEING PROCURED, THE NUMBERS WILL				
	BE 0026 OR 0024 DEPENDING ON THE LENGTH OF THE				
	LONG TERM CONTRACT.				
	THE FOLLOWING DEFINITIONS APPLY TO THE				
	ENTIRE SOLICITATION AND RESULTING CONTRACT:				
	FIRST ORDERING YEAR OF THE CONTRACT IS THE DATE OF AWARD PLUS 364 DAYS.				
	SECOND ORDERING YEAR OF THE CONTRACT IS 365 DAYS THROUGH 729 DAYS AFTER CONTRACT AWARD.				
	THIRD ORDERING YEAR OF THE CONTRACT IS 730 DAYS				
	THROUGH 1,094 DAYS AFTER CONTRACT AWARD.				
	FOURTH ORDERING YEAR OF THE CONTRACT IS 1,095				
	DAYS THROUGH 1,459 DAYS AFTER CONTRACT AWARD.				
	FIFTH ORDERING YEAR OF THE CONTRACT IS 1,460				
	DAYS THROUGH 1,824 DAYS AFTER CONTRACT AWARD.				
	NOME: MUE DETGE ADDITIONED DO AN INDIVIDUAL				
	NOTE: THE PRICE APPLICABLE TO AN INDIVIDUAL ORDER IS THE PRICE FOR THE ORDERING YEAR IN				
	WHICH THE ORDER IS ISSUED. THE DELIVERY DATE				
	DOES NOT DETERMINE THE ORDERING YEAR.				
	mb. to formation and the state of the state				
	The information presented below applies to Item No. 0011 Through 0015:				
	100m No. 0011 Intough 0015.				
	Minimum 5 Year Quantity: 270 EACH				
	(This will be ordered at the time of the basic				
	contract award).				
	Maximum 5 Year Quantity: 10,800 EACH				
	(Inclusive of Option Years, if applicable)				
	1	1	1	l .	

Reference No. of Document Being Continued PIIN/SIIN DAAE07-03-R-S209

MOD/AMD 0001

Page 4 of 8

ITEM NO	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
	ONLY THE MINIMUM 5 YEAR QUANTITY IS GUARANTEED.				
	NOTE: EACH ORDERING YEAR ESTIMATE, AS WELL AS EACH OPTION YEAR ESTIMATE, IF APPLICABLE, IS A 12 MONTH AVERAGE MONTHLY DEMAND WITH PROGRAM FACTORS BUILT IN AND A 25% INCREASE PER YEAR.				
	THIS BUY IS CROSS REFERENCED TO PRON: EH34R857EH (For Internal Purposes Only).				

		CAUTION: ELECTRON	OFFEF ICALLY	ORS MUST SUBMIT (IN ACCORDANCE WIT TLED "ELECTRONIC	ffers H
		REQUIRED	IN RES	PONSE TO THIS SOI	ICITATION"

	(End of narrative A001)	*****	*****	***********	******
	(2nd of national)				
0011	FIRST ORDERING YEAR	EST 1,080	AY	\$	\$
	NSN: 2540-01-330-6177 NOUN: COVER, FITTED, VEHICULAR FSCM: 19207 PART NR: 12340676-11 SECURITY CLASS: Unclassified				
	Description/Specs./Work Statement TOP DRAWING NR: 12340676-11 DATE: 31-JUL-2003				
	Packaging and Marking PACKAGING/PACKING/SPECIFICATIONS: SEE PACKAGING RQMTS SHEET IN TECH DATA PACKAGE LEVEL PRESERVATION: Military LEVEL PACKING: A				
	Inspection and Acceptance INSPECTION: Origin ACCEPTANCE: Origin				
	FOB POINT: Origin				

Reference No. of Document Being Continued PIIN/SIIN DAAE07-03-R-S209

MOD/AMD 0001

Page 5 of 8

ITEM NO	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
0012	SECOND ORDERING YEAR	EST 1,080	AY	\$	\$
	NSN: 2540-01-330-6177 NOUN: COVER, FITTED, VEHICULAR FSCM: 19207 PART NR: 12340676-11 SECURITY CLASS: Unclassified				
	Description/Specs./Work Statement TOP DRAWING NR: 12340676-11 DATE: 31-JUL-2003				
	Packaging and Marking PACKAGING/PACKING/SPECIFICATIONS: SEE PACKAGING RQMTS SHEET IN TECH DATA PACKAGE LEVEL PRESERVATION: Military LEVEL PACKING: A				
	Inspection and Acceptance INSPECTION: Origin ACCEPTANCE: Origin				
	FOB POINT: Origin				
0013	THIRD ORDERING YEAR	EST 1,080	AY	\$	\$
	NSN: 2540-01-330-6177 NOUN: COVER, FITTED, VEHICULAR FSCM: 19207 PART NR: 12340676-11 SECURITY CLASS: Unclassified				
	Description/Specs./Work Statement TOP DRAWING NR: 12340676-11 DATE: 31-JUL-2003				
	Packaging and Marking PACKAGING/PACKING/SPECIFICATIONS: SEE PACKAGING RQMTS SHEET IN TECH DATA PACKAGE LEVEL PRESERVATION: Military LEVEL PACKING: A				
	Inspection and Acceptance INSPECTION: Origin ACCEPTANCE: Origin				
	FOB POINT: Origin				
0014	FOURTH ORDERING YEAR	EST 1,080	AY	\$	\$

Reference No. of Document Being Continued PIIN/SIIN DAAE07-03-R-S209

MOD/AMD 0001

Page 6 of 8

ITEM NO	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
	NSN: 2540-01-330-6177 NOUN: COVER, FITTED, VEHICULAR FSCM: 19207 PART NR: 12340676-11 SECURITY CLASS: Unclassified				
	Description/Specs./Work Statement TOP DRAWING NR: 12340676-11 DATE: 31-JUL-2003				
	Packaging and Marking PACKAGING/PACKING/SPECIFICATIONS: SEE PACKAGING ROMTS SHEET IN TECH DATA PACKAGE LEVEL PRESERVATION: Military LEVEL PACKING: A				
	Inspection and Acceptance INSPECTION: Origin ACCEPTANCE: Origin FOB POINT: Origin				
0015	FIFTH ORDERING YEAR	EST 1,080	AY	\$	\$
	NSN: 2540-01-330-6177 NOUN: COVER, FITTED, VEHICULAR FSCM: 19207 PART NR: 12340676-11 SECURITY CLASS: Unclassified				
	Description/Specs./Work Statement TOP DRAWING NR: 12340676-11 DATE: 31-JUL-2003				
	Packaging and Marking PACKAGING/PACKING/SPECIFICATIONS: SEE PACKAGING ROMTS SHEET IN TECH DATA PACKAGE LEVEL PRESERVATION: Military LEVEL PACKING: A				
	Inspection and Acceptance INSPECTION: Origin ACCEPTANCE: Origin				
	FOB POINT: Origin				

Reference No. of Document Being Continued

PIIN/SIIN DAAE07-03-R-S209

MOD/AMD 0001

Page 7 of 8

N:	ame	οf	Offeror	or C	'ontra	ctor

SECTION	т	_	CONTRACT	CLAHER
PECITON		_	CONTRACT	CLAUSE

	Status	Regulatory Cite	Title					Date
I-1	CHANGED	52.211-4515	PACKAGING	REQUIREMENTS	(SPECIAL	PACKAGING	INSTRUCTIONS)	MAY/2003

(TACOM)

- (a) Military preservation, packing, and marking for this order shall be accomplished in accordance with the specific requirements identified below, all the applicable requirements of, MIL-STD-2073-1, Revision D, Dated 15 Dec 1999 and Notice 1, dated 10 May 2002, and the Packaging Documentation contained in the TDP.
 - (1) LEVEL OF PRESERVATION: Military
 - (2) LEVEL OF PACKING: A
 - (3) QUANTITY PER UNIT PACKAGE: 001
- (b) Unitization: Shipments of identical items going to the same destination shall be palletized if they have a total cubic displacement of 50 cubic feet or more unless skids or other forklift handling features are included on the containers. Pallet loads must be stable, and to the greatest extent possible, provide a level top for ease of stacking. A palletized load shall be of a size to allow for placement of two loads high and wide in a conveyance. The weight capacity of the pallet must be adequate for the load. The preferred commercial expendable pallet is a 40 x 48 inch, 4-way entry pallet although variations may be permitted as dictated by the characteristics of the items being unitized. The load shall be contained in a manner that will permit safe handling during shipment and storage
 - (c) Marking:
- (1) In addition to any special markings called out on the SPI, all unit packages, intermediate packs, exterior shipping containers, and, as applicable, unitized loads shall be marked in accordance with MIL-STD-129, Revision P, Dated 15 Dec 2002, including bar coding. The contractor is responsible for application of special markings as discussed in the Military Standard regardless of whether specified in the contract or not. Special markings include, but are not limited to, Shelf-life markings, structural markings, and transportation special handling markings. The marking of pilferable and sensitive materiel will not identify the nature of the materiel.
- (2) Contractors and vendors shall apply identification and address markings with bar codes in accordance with this standard. A Military Shipment Label (MSL) is required for all shipments except contractor to contractor. The MSL will include both linear and 2D bar codes per the standard. DVD shipment documentation must also be marked with additional bar codes. The DD Form 250 or the commercial packing list shall have additional issue/receipt bar coding applied as per Direct Vendor Delivery Shipments in the standard (except for deliveries to DLA Distribution Depots, e.g. New Cumberland, San Joaquin, Red River, Anniston).
- (3) Contractor to contractor shipments shall have the address markings applied to the identification marked side of the exterior shipping container or to the unitized load markings. The following shall be marked "FROM: name and address of consignor and TO: name and address of consignee".
- (4) Military Shipping Label: Military Shipment Labels may be created using the Computer Automated Transportation Tool Military Shipment Label/Issue Receipt Release Document (CATT MSL/IRRD). See the web site: http://www.asset-trak.com/catt/catt.htm. The software may be downloaded at: http://www.asset-trak.com/catt/msl_irrd/msl_irrddownload.htm. Be sure to bookmark this page for future releases of CATT MSL/IRRD.
- (d) Heat Treatment and Marking of Wood Packaging Materials: Boxes/pallets and any wood used as inner packaging made of non-manufactured wood shall be heat-treated. All non-manufactured wood used in packaging shall be heat treated to a core temperature of 56 degrees Celsius for a minimum of 30 minutes. The box/pallet manufacturer and the manufacturer of wood used as inner packaging shall be affiliated with an inspection agency accredited by the board of review of the American Lumber Standard Committee. The box/pallet manufacturer and the manufacturer of wood used as inner packaging shall ensure traceability to the original source of heat treatment. Each box/pallet shall be marked to show the conformance to the International Plant Protection Convention Standard. The quality mark shall be placed on both ends of the outer packaging, between the end cleats or end battens; on two sides of the pallet. Foreign manufacturers shall have the heat treatment of non-manufactured wood products verified in accordance with their National Plant Protection Organizations compliance program.
- (e) This SPI has been validated and the method of preservation/packing has proven successful in meeting the needs of the military distribution system, including indeterminate storage and shipment throughout the world. Special instructions and/or tailoring of the SPI is detailed in the Supplemental Instructions below. A prototype package is required to validate the sizes and fit requirements of the SPI. Minor dimensional and size changes are acceptable provided contractor provides the PCO and ACO with notification 60 days prior to delivery. Any design changes or changes in the method of preservation that provide a cost savings without degrading the method of preservation or packing or affecting the serviceability of the item will be considered and responded to within 10 days of submission to

CONTINUATION SHEET	Reference No. of Document Be	Page 8 of 8	
CONTINUATION SHEET	PIIN/SIIN DAAE07-03-R-S209	MOD/AMD 0001	

Name of Offeror or Contractor:

PCO and ACO. Government reserves the right to require testing to validate alternate industrial preservation methods, materials, alternate blocking, bracing, cushioning, and packing.

(f) SUPPLEMENTAL INSTRUCTIONS: None

[End of Clause]

I-2 DELETED 52.211-4517 (TACOM)

PACKAGING REQUIREMENTS (COMMERCIAL)

MAY/2002